

# SAFETY DATA SHEET



Date of Issue / Date of Revision : May 4, 2021  
Version : GHS-1

## Section 1. Identification

**Product Name:** : EyeKandy Candy Concentrate  
**Product Code:** : EKK-00 through EKK-18

**Product Type:** : Colored Liquid  
**Product Use:** : Liquid Color Additive for tinting automotive paints by professionals

**Supplier** : Bayou Innovations, LLC dBa UreChem Paints™  
38 South Park Drive  
Perkinston, Ms 39573

**Emergency Telephone Number** : 1-800-255-3924 (ChemTel Available 24 hours a day 7 days a week)  
**Non-Emergency Support** : 1-601-928-4143 (Monday-Friday 8:00 am to 5:00 pm CST)

## Section 2. Hazards Identification

**OSHA / HCS Status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Classification of the Substance or Mixture** : Flammable liquids : Category 2  
Eye irritation : Category 2A  
STOT - single exposure : Category 3 (Central nervous system)

STOT = Specific Target Organ Toxicity

**GHS Label Elements  
Hazard Pictograms** :



**Signal Word**

Danger

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

**Hazard Statements**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness  
H335 May cause respiratory irritation.

## **Section 2. Hazards Identification**

---

### **Precautionary Statements**

**Prevention**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/sparks/open flames/hot surfaces. NO SMOKING  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment  
P241 Use explosion proof electrical/ventilating/lighting equipment  
P242 Use only non-sparking tools  
P243 Take precautionary measures against static discharge  
P260 Do not breathe dust/fume/gas/mist/vapours/spray  
P264 Wash skin thoroughly after handling  
P270 Do not eat, drink, or smoke when using this product  
P271 Use only outdoors or in a well ventilated area.  
P273 Avoid release to the environment  
P280 Wear protective gloves/eye protection/face protection

**Response**

P301+P310 **IF SWALLOWED**: Immediately call a poison center/doctor. P331 Do NOT induce vomiting  
P303+P361+P353 **IF ON SKIN**: Take off immediately all contaminated clothing. Rinse with water/shower P362 Take off contaminated clothing and wash before reuse. P332 + P313 If skin irritation occurs Get medical advice/attention  
P304 + P340 + P312 **IF INHALED**: Remove Person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P305 + P351 + P338 **IF IN EYES**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 **IN CASE OF FIRE**: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P308 If exposed and concerned get medical advice/attention

**Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**Supplemental label elements**

Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapor/spray mist concentrations above recommended exposure limits causes headaches, drowsiness, nausea, and may lead to unconsciousness or death. Avoid contact with skin or clothing. Wash thoroughly after handling. Emits toxic fumes when heated.

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	May 4, 2021
<b>Product Name</b>	Candy Concentrates		

**Hazards not otherwise classified** Prolonged or repeated contact may dry skin and cause irritation

## Section 3. Composition / Information on Ingredients

**Substance/Mixture** Mixture  
**Product Name** Standard Polyurethane Reducer

INGREDIENT	CAS Number	WT%	TWA PEL	TWA BASIS	STEL	STEL BASIS
2-butanone	78-93-3	25-35%	200 ppm	ACGIH	NE	NE
n-butyl acetate	123-86-4	10-20%	150 PPM	ACGIH	200 ppm	ACGIH
ethyl 3-ethoxy propionate	763-69-9	1-5%	NE	NE	NE	NE
Proprietary Non-Hazardous	NA	40%-65%	NE	NE	NE	NE

“Not Available” represents substances without registered CAS Numbers.  
Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**For additional occupational exposure limits, if available, are listed in Section 8.**

## Section 4. First Aid Measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures:

- Eye Contact** : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin Contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

**Most important symptoms / effects, acute and delayed**

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

### Over-exposure signs / symptoms

- Eye Contact** : Adverse symptoms may include the following:  
Pain or Irritation  
Watering  
Redness
- Inhalation** : Adverse symptoms may include the following:  
Reduced fetal weight  
Increase in fetal deaths  
Skeletal malformations
- Skin Contact** : Adverse symptoms may include the following:  
Irritation  
Dryness  
Cracking  
Reduced Fetal Weight  
Increase in Fetal Deaths  
Skeletal Malformations
- Ingestion** : Adverse symptoms may include the following:  
Reduced Fetal Weight  
Increase in Fetal Deaths  
Skeletal Malformations

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to Physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific Treatments** : No specific treatment.
- Protection of First-Aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

## Section 5. Fire-Fighting Measures

- Suitable Extinguishing Media** : Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
- Unsuitable Extinguishing Media** : Do not use water jet.
- Specific hazards arising from the chemical** : Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
Carbon Dioxide  
Carbon Monoxide  
Metal Oxide/Oxides
- Special protective actions for firefighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from the fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

- Small Spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

**Large Spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage

## Section 6. Accidental Release Measures

with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling And Storage

### Precautions for Safe Handling

- Protective Measures** : Put on appropriate personal protective equipment (see Section 8). Avoid exposure – obtain special instruction before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Special precautions** : Ingestion of product or cured coating may be harmful. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be store in purpose built containers or in metal containers with tight fitting, self-closing lids. Contaminated materials should be removed from the workplace at the end of each working day and be stored outside. If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
- Advice on general occupational hygiene.** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Do not store above 49C (120F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure Controls / Personal Protection

Control Parameters

Occupational Exposure Limits

INGREDIENT	CAS Number	TWA PEL	TWA BASIS	STEL	STEL BASIS	IDLH (NIOSH)
2-butanone	78-93-3	200 ppm	ACGIH	NE	NE	3000 PPM
n-butyl acetate	123-86-4	150 PPM	ACGIH	200 ppm	ACGIH	1700 PPM
ethyl 3-ethoxy propionate	763-69-9	NE	NE	NE	NE	NA

Unless otherwise noted TWA data based on 8 hours and STEL data based on 15 minutes exposure.

### Key to Abbreviations

A	=	Acceptable Maximum Peak	S	=	Potential Skin Absorption
ACGIH	=	American Conference of Governmental Industrial Hygienists	SR	=	Respiratory Sensitization
C	=	Ceiling Limit	SS	=	Skin Sensitization
IDLH	=	Immediately Dangerous to Life or Health	STEL	=	Short Term Exposure Limit Values
PEL	=	Permissible Exposure Limit	TD	=	Total Dust
OSHA	=	Occupational Safety and Health Administration	TLV	=	Threshold Limit Value
R	=	Respirable	TWA	=	Time Weighted Average
Z	=	OSHA 29CFR 1910.1200 Subpart Z – Toxic and Hazardous Substances	NE	=	Not Established

### Consult local authorities for acceptable exposure limits.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
- Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
- Environmental exposure controls:** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

## Individual Protection Measures

- Hygiene Measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye / Face Protection** : Chemical splash goggles.
- Hand Protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Gloves** : For prolonged or repeated handling, use the following type of gloves: butyl Rubber.
- Body Protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
- Other Skin Protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory Protection** : By spraying: air-fed respirator. By other operations than spraying, in well ventilated areas, air-fed respirators could be replaced by a combination charcoal filter and particulate filter mask. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and Chemical Properties

### Appearance

- Physical State** : Liquid
- Color** : Light to Dark
- Odor** : Characteristic of Organic Solvents
- Odor Threshold** : Not available
- pH** : Not available
- Melting Point** : Not available
- Boiling Point** : Greater Than 79C (175 F)
- Flash Point** : Closed cup: 10C<sup>0</sup> (50F)
- Material Supports Combustion** : Yes
- Auto-Ignition Temperature** : Not available
- Decomposition Temperature** : Not available
- Flammability (solid, gas)** : Not available
- Lower and Upper Explosive (flammable) limits** : Not Available
- Evaporation Rate** : Not available
- Vapor Pressure** : Not available
- Vapor Density** : Heavier than air



<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

<b>Relative Density</b>	:	0.84
<b>Density (lbs / gal)</b>	:	>7.6 lbs/gal
<b>Solubility</b>	:	Soluble in most organic solvents and blends thereof. Insoluble in water.
<b>Partition coefficient: n-octanol/water</b>	:	Not available
<b>Viscosity</b>	:	~100 cPs
<b>Volatility</b>	:	35-60% (w/w)
<b>% Solid. (w/w)</b>	:	40-65%

## Section 10. Stability and Reactivity

<b>Chemical Stability</b>	:	The product is stable.
<b>Possibility of Hazardous Reactions</b>	:	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to Avoid</b>	:	When exposed to extreme high temperatures produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
<b>Incompatible Materials</b>	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
<b>Hazardous Decomposition Products</b>	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

## Section 11. Toxicological Information

### Overview/Summary

There is no testing data available for this mixture. However, based on the properties of the individual components we can generally Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. There is some evidence that repeated exposure to organic solvent vapors in combination with constant loud noise can cause greater hearing loss than expected from exposure to noise alone. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

### Likely Routes of Exposure:

Skin Contact  
Inhalation  
Eye Contact

### Over-exposure Symptoms

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

<b>Eye Contact</b>	Pain & Irritation, redness, and watering can all be signs of overexposure.
<b>Inhalation</b>	Nausea, vomiting, headache, drowsiness, fatigue, dizziness, vertigo, unconsciousness, decreased fetal weight and increased fetal death may all be signs of overexposure.
<b>Skin Contact</b>	Irritation, redness, dryness, and cracking of the skin, decreased fetal weight, increased fetal death, and skeletal malformations may all be signs of overexposure.
<b>Ingestion</b>	nausea, vomiting, burning sensation in the mouth or throat, reduced fetal weight, increased fetal deaths, and skeletal malformations may be a sign of overexposure

#### **Potential Acute (immediate) Health Effects**

<b>Eye Contact</b>	Serious eye irritation
<b>Inhalation</b>	Central nervous system depression, drowsiness, and dizziness
<b>Skin Contact</b>	Skin irritation and defatting of the skin.
<b>Ingestion</b>	Central Nervous system depression

#### **Potential Chronic (Long Term) Health Effects**

<b>General</b>	May cause damage to organs through prolonged or repeated exposure. Prolonged or repeated exposure can defat the skin and lead to irritation, cracking, and dermatitis.
<b>Carcinogenicity</b>	This product does not contain ingredients above 0.1% that are currently known or suspected of causing cancer.
<b>Teratogenicity</b>	Not suspected of damaging the unborn child during normal use.

#### **Toxicity Data**

There are no data available on the mixture itself. For toxicology data on the individual components refer to the safety data sheet for those components found in section 8 of this document.

## **Section 12. Ecological Information**

Data is not available regarding the effects of this mixture on the environment. For more detailed information on available ecological data refer to the data sheets of the individual components of this product as shown in section 3.

#### **Aquatic Toxicity**

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

Based on the ingredients found within this product it is reasonable to expect that this product could be damaging to aquatic life and detrimental to drink water even in small quantities. All precautions must be taken to prevent exposure to the environment and contain spillage.

#### Soil Mobility

Soil mobility is expected to be relatively low based on the ingredients found within this product.

#### Biodegradability

Under normal conditions the solvents comprised of this product readily degrade in the environment.

## Section 13. Disposal Considerations

- Disposal Methods** :
- The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere. Do not mix with incompatible materials for disposal.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures.

## Section 14. Transport Information

	<b>DOT</b>	<b>IMDG</b>	<b>IATA</b>
<b>UN Number</b>	UN1263	UN1263	UN1263
<b>UN Proper Shipping Name</b>	PAINT	PAINT	PAINT
<b>Transport Hazard Class (es)</b>	3	3	3
<b>Packing Group</b>	II	II	II
<b>Environmental Hazards</b>	No.	Yes	No.
<b>Marine Pollutant Substances</b>	Not applicable.	Solvent Napthas	Not applicable.

#### Additional Information

- DOT** :
- Under certain conditions this product may be re-classified as "limited quantity" unless transported by vessel or aircraft.
- IMDG** :
- The marine pollutant mark is not required when transported in sizes of <5L or <5kg

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

**IATA** : The environmentally hazardous substance mark may appear if required by other transportation regulations.

**Special Precautions For User:**

Transport within user's premises. Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 15. Regulatory Information

**United States Inventory (TSCA 8b)  
Canada Inventory (DSL)**

All components are listed.  
All components are listed or exempted

**SARA 302/304 Reportable Quantities**

Not Applicable

**SARA 311/312 Classification**

Fire Hazard  
Acute (Immediate) Health Hazard  
Chronic (Delayed) Health Hazard

**SARA 311/312/313 Ingredient Info**

INGREDIENT	CAS#	Weight%	Fire Hazard	Sudden Release of Pressure	Reactive	Acute Health Hazard	Chronic Health Hazard	SARA 313 Reportable
2-butanone	78-93-3	25-35%	Yes	No	No	Yes	No	No
n-butyl acetate	123-86-4	10-20%	Yes	No	No	Yes	No	No
ethyl 3-ethoxy propionate	763-69-9	1-5%	Yes	No	No	Yes	No	No

<b>Product Code</b>	EKK-XXX	<b>Date of Issue</b>	<b>May 4, 2021</b>
<b>Product Name</b>	Candy Concentrates		

## Section 16. Other Information

### Hazardous Material Information System (U.S.A.)

**Health: 2 Flammability: 3 Physical Hazards: 1**

(\*) Chronic Effects

**Caution:** HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS ratings are to be used with a fully implemented HMIS program. HMIS is a registered mark of the National Paint & Coatings Association (NPCA). HMIS materials may be purchased exclusively from J.J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)

**Health: 3 (\*) Flammability: 3 Physical Hazards: 1**

**Date of Previous Issues**

**Organization that Prepared the SDS**

**Key to Abbreviations**

:

: Internal

: ATE = Acute Toxicity Estimate

: BCF = Bioconcentration Factor

: GHS = Globally Harmonized System of Classification and Labelling of Chemicals

: IATA = International Air Transport Association

: IBC = Intermediate Bulk Container

: IMDG = International Maritime Dangerous Goods

: LogPow = Logarithm of the octanol/water partition coefficient

: MARPOL 73/78 = International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978.

: ("Marpol") = Marine Pollution)

: UN = United Nations

### Disclaimer:

The information contained in this data sheet is based on present scientific and technical knowledge. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.